

Benzodiazepines

Benzos, minor tranquillisers, diazepam (Valium), lorazepam (Ativan), chlordiazepoxide (Librium), nitrazepam (Mogadon), flunitrazepam (Rohypnol), temazepam

What are Benzodiazepines?

Benzodiazepines are the most commonly prescribed minor tranquilisers, known as anxiolytics (for daytime anxiety relief) and hypnotics (to promote sleep).



The law

All benzodiazepines are Prescription Only medicines under the Medicines Act. This means they can only be legally supplied by a pharmacist in accordance with a doctor's prescription. They are also controlled as a class C drug under the Misuse of Drugs Act. This also makes it illegal to supply them to someone else, the maximum penalty being fourteen years imprisonment and a fine. Until recently, possession was not an arrestable offence if you did not have a prescription, except for Rohypnol and temazepam. Now police can arrest an individual in possession of any minor tranquilliser who cannot show a legitimate prescription for them.

Under the Misuse of Drugs Act possession brings with it a maximum sentence of two years and an unlimited fine or both. Selling them on can bring fourteen years and/or fine for trafficking.

Prevalence

Surveys suggest that one in seven British adults take benzodiazepines at some time during the year, and 1 in 40 take them throughout the year. The proportion of women using prescribed psychotropics is double the proportion of men.

There is no known illicit manufacture of benzodiazepines. The benzodiazepines which circulate on the illicit market are diverted from legitimate clients either by over-prescription, that is to say individuals selling on part, or all, of their legitimately prescribed drugs, or by theft from pharmacies, hospitals or retailers.

History

Tranquillisers were first manufactured in the 1960s and seen as safe, non addictive drugs which could be used by doctors to treat anxiety and sleeping problems. They were at first regarded as a hazard free alternative to the prescribing of barbiturates.

Although many people, particularly women, suffered serious side effects and dependence prescribing of tranquillisers continued to grow for over 20 years. It was not until the late 1970s that these problems were openly acknowledged. Prescriptions for tranquillisers fell from just over 30 million in 1979 to less than half that amount in the late 1990s. Despite this fall tranquillisers are still the most commonly prescribed mood altering drugs in the UK.

Effects/risks

Tranquillisers are sedative drugs which slow down people's reactions and can make them feel drowsy, lethargic and forgetful. They relieve anxiety and tension and can make people feel more calm and relaxed. Effects begin after 10-15 minutes and can last up to 6 hours without repeating the dose.

"It's like a dream state. It gets you away from it all. It cushions you so you don't worry or care anymore. You don't really know what is going on".

The effect of slowing reactions and making people drowsy can make accidents more likely. It can be dangerous to drive while on tranquillisers. With regular use tolerance can develop quickly so increasing amounts are needed to get the same effect. Dependence can also quickly develop with regular use so that withdrawal can lead to intense anxiety, nausea, insomnia, irritability and headaches. Sudden withdrawal from very high doses can be very dangerous and result in confusion and serious convulsions. Many people find it very difficult to give up and may need a gradually reduced dosage to do so.

Regular users often find that after a time tranquillisers become ineffective in giving the desired effect. Continual use may mean they become ineffective as sleeping pills after 2 weeks and ineffective to combat anxiety after 4 months. The temptation is then to increase the dosage. Tranquillisers are only really effective as short term medicines but many people are dependent and have been taking them for several years.

A lot of tranquillisers have to be taken to fatally overdose but there have been many cases where people have died when also drinking alcohol.

Updated June 2006

Other Sources of information

<p>Local organisations that offer Assessment & Treatment options for people with addictions:</p> <p>EDAS – Mental Health and Alcohol & Substance Misuse Support in Poole Tel 01202 735777 hello@edasuk.org www.edasuk.org</p> <p>EDAS/REACH YP – Free and confidential drug and alcohol service for under 25s who live in the Borough of Poole and County of Dorset Tel 0800 0434656 www.edasuk.org/yp</p> <p>WE ARE WITH YOU Tel 01202558855 www.wearewithyou.org.uk</p> <p>EDP Tel 01305 571264 info@edp.org.uk</p>		<p>National organisations that offer treatment, advice, information & support for people with addictions:</p> <p>ALCOHOL CHANGE Tel 020 3907 8480 www.alcoholchange.org.uk</p> <p>FRANK Tel 0300 1236600 Text 82111 www.talktofrank.com</p>
--	--	--

Contact us: Helpline 01202 735777 (Weekdays 8:30am to 4:00pm, 24-hour answer phone)

Email: hello@edasuk.org

EDAS Head Office - 54A Ashley Road, Parkstone, Poole BH14 9BN

Statement

Our information and research is designed to help you make informed choices about the services that we provide. From time to time, for illustrative purposes, we may make reference to commonly available products (such as relaxation CDs and popular self-help books). We do not endorse or advertise the use of any specific product.

Disclaimer:

While we make every effort to use up-to-date and reliable sources, we cannot accept liability for errors in the sources that we use and also cannot guarantee to find all the information relevant to your enquiry or request. All responsibility for interpretation of and action upon that information rests with you. This information and advice is offered on the understanding that if you intend to support your treatment with complementary or alternative approaches then it is advisable to consult your GP to ensure that they have a complete understanding of your situation and the complementary or alternative approach that you are considering.

ID: ED-DS-21112011v2

Literature search completed: Drugscope - October

2012 Sheet published: October 2012

Review Date: October 2013

